

# EpoxyMaster®

## MATERIAL SAFETY DATA SHEET

MFG.CODE # EM-MXF

### SECTION I

<b>MANUFACTURER'S NAME</b> <b>EpoxyMaster</b>		<b>EMERGENCY TELEPHONE NO:</b> <b>(888) 376-9954</b>	
<b>ADDRESS (Street, City, State and Zip Code)</b> <b>755 W. Big Beaver Rd., Suite 2020                      Troy, MI                      48084-4726</b>			
<b>CHEMICAL NAME AND SYNONYMS</b> N/A		<b>TRADE NAME AND SYNONYMS</b> <b>MASTER FILL</b>	
<b>CHEMICAL FAMILY</b> N/A		<b>FORMULA</b> N/A	

### SECTION II – HAZARDOUS INGREDIENTS

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (UNITS)
Latex Polymer	(CAS# 108-05-4)	>1                      N/A
Glycol Ether EB	(CAS# 111-07-62)	>1                      N/A
2-Hydroxyethyl Ether	(CAS# 9004-62-0)	>1                      N/A
Calcium Carbonate	(CAS# 1317-65-3)	>1                      10 mg/m3*
		* as dust

All components of this product are listed on the E.P.A./TSCA inventory of chemical substances.

### SECTION III – PHYSICAL DATA

<b>BOILING POINT °F</b>	N/A	<b>SPECIFIC GRAVITY (H2O = 1)</b>	1.02
<b>VAPOR PRESSURE (mm. Hg.)</b>	N/A	<b>PERCENT VOLATILE BY VOLUME (%)</b>	89
<b>VAPOR DENSITY (AIR = 1)</b>	N/A	<b>EVAPORATION RATE ( =1)</b>	N/A
<b>SOLUBILITY IN WATER</b>	insoluble	<b>PH</b>	N/A
<b>APPEARANCE AND ODOR</b> White to grey paste with latex odor.			

### SECTION IV – FIRE AND EXPLOSION DATA

<b>FLASH POINT (Method Used)</b> None	<b>T.O.C.</b>	<b>FLAMMABLE LIMITS</b>	LeI	Uel
			not determined	not determined
<b>EXTINGUISHING MEDIA</b> Carbon Dioxide, Dry Chemical, Foam, Sand or Earth.				
<b>SPECIAL FIRE FIGHTING PROCEDURES</b> Fire fighters should wear full protective clothing including self-contained respiratory equipment operated in a positive mode.				
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS</b> None				

(Continued on reverse side)

